INTERNATIONAL JOURNAL OF QUANTUM CHEMISTRY, VOL. II, 937–939 (1968)

Author Index, Volume II

Basu, S.: see Sen, P., 183
——: see Sen, P., 687
Benesch, R., and Malli, G.: X-ray and electronic scattering factors for many-electron atomic systems, 371
Berggren, K.-F., and Johansson, B.: A field theoretical description of states with different orbitals for different spins, 483
Berthier, G.: see Levy, B., 307
Bingel, W. A.: Improved lower bounds for the convergence radius of RS-perturbation theory, 101
Brändas, E.: Scaled AMO calculations on the hydrogen molecule. II. The $1s\sigma 2p\sigma\ ^1\Sigma_u^+$ state, 37
——: Scaled AMO calculations on the hydrogen molecule. III. The $1s2s\ ^3\Sigma_g^+$ state, 391
——: Scaled AMO calculations on the hydrogen molecule. IV. General remarks, 793
Brown, R. E., and Shull, H.: A configuration interaction study of the four lowest $^1\Sigma^+$ states of the LiH molecule, 663

Calais, J.-L.: Derivation of the Clebsch–Gordan coefficients by means of projection operators, 715
Carlson, R. E.: see Ramaker, D. E., 509
Carpentieri, M., Porro, L., and Del Re, G.: Numerical studies for a theoretical analysis of semiempirical LCAO–CI methods, 807
Chalvet, O., Daudel, R., Ponce, C., and Rigaudy, J.: Mechanism of photooxidation: interpretation of the substitution effects in the photooxidation of acenic derivatives, 521
Chang, C.-A.: see Vaughan, J. D., 205
Claverie, P.: see Rein, R., 129
Crain, H.: see Ramaker, D. E., 509
Coulson, C. A., and Gerber, R. B.: Effects of complex-valued electronic wave functions on nuclear motions, 607
——, and Doggett, G.: The electronic structure of tetrahedral III–V compounds: The ground state of boron nitride, 825

Daudel, R.: see Chalvet, O., 521
Davison, S. G.: see Koutecký, J., 73
Del Re, G.: see Carpentieri, M., 807
Diercksen, G.: Über eine Näherung zur Lösung des "Self-consistent-field" Verfahrens für Systeme mit ungepaarten Elektronen. I. Die Methode, 55
——: see Janoschek, R., 159
Doggett, G.: see Coulson, C. A., 825

Ermolaev, A. M., and Sochilin, G. B.: $2\ ^3S$ state of helium, 333

Försterling, H. D. and Kuhn, H.: Projected electron density method of π-electron systems. II. Excited states, 413
Fröhlich, H.: Long-range coherence and energy storage in biological systems, 641
Fukui, K., and Yamabe, T.: A note on the theory of interatomic long-range forces, 359
Fullerton, D. C.: see Vaughan, J. D., 205

Gaetano, R. F.: see Ramaker, D. E., 509
Gallup, G. A.: Factorization of the secular determinant by constants of the motion, 695
George, C.: Note on the usual perturbation theory, 445
Gerber, R. B.: see Coulson, C. A., 607
Gershgorn, Z.: Proofs of the linear independence of properly selected projected spin eigenfunctions, 341
——: see Silberman, Z., 453
——, and Shavitt, I.: An application of perturbation theory ideas in configuration interaction calculations, 751
Goscinski, O.: Upper and lower bounds to polarizabilities and van der Waals forces. I. General theory, 761
——, and Öhrn, Y.: Coupling of equivalent particles in a field of given symmetry, 845

——, and Sinanoğlu, O.: Upper and lower bounds and the generalized variation-perturbation approach of many-electron theory, 397

Hagnauer, G. L.: see Ramaker, D. E., 509
Hagstrom, S.: see Prosser, F., 89
Heldmann, G.: On the formulation of spin-free quantum chemistry, 785
Hermann, R. B.: Molecular-orbital calculations on electrophilic substitution and relative basicities in pyrrole, indole, furan, and benzofuran, 165

I'Haya, Y. J.: see Ito, H., 5
Ito, H., and I'Haya, Y. J.: The electronic structures and spectra of proflavine, acridine orange, and their DNA complexes, 5

Jain, D. C., and Sahni, R. C.: Transition probabilities for the ionization of N_2, O_2, NO and CO molecules, 325
Janoschek, R.: Wellenmechanische Absolutrechnung an einer intramolecularen Radikalreaktion an einem methyl- und hydroxylsubstituierten ungesättigen Kohlenwassertoff, 707
——, Diercksen, G., und Preuss, H.: Wellenmechanische Untersuchungen an der Wasserstoffbrücke zwischen zwei Berrylliumatomen, 159
Johansson, B.: see Berggren, K.-F., 483
Jorgensen, Chr. K.: Might the difference between Schrödinger and Ruedenberg's local contributions to the kinetic energy represent elastic deformations of the electron, 49
Jucys, A. P., Kaminskas, V. A., and Kaveckis, V. J.: Application of the extended method of calculation for atoms and ions having the electronic configurations $1s^2 2s^2 2p^n$, 405

Kaminskas, U. A.: see Jucys, A. P., 405
Kaveckis, V. J.: see Jucys, A. P., 405
Kolos, W.: Recent developments in the theory of one- and two-electron molecules, 471
Koutecký, J., and Davison, S. G.: Electronic states of general mixed crystals, 73
Kuhn, H.: see Försterling, H. D., 413
Kutzelnigg, W.: see McWeeny, R.: 187
——: see Smith, V. D., Jr., 553
——, and Smith, V. D., Jr.: Open- and closed-shell states in few-particle quantum mechanics. I. Definitions, 531

Lesk, A. M.: Computation of derivatives for parameter optimization in least-squares fitting of linear combinations of Slater-type orbitals by Gaussians, 801
Levy, B., and Berthier, G.: Generalized Brillouin theorem of multiconfigurational SCF theories, 307
Löwdin, P.-O.: Studies in perturbation theory. XIII. Treatment of constants of motion in resolvent method, partitioning technique and perturbation theory, 867

Malli, G.: see Benesch, R., 371
Manne, R.: A note on Kaufman's overlap population criterion for molecular stability, 69
Marron, M. T., and Weare, J. H.: A variation principle for energy differences between states of two different Hamiltonians, 729
Martino, F.: Localized impurity states in the Hartree–Fock, LCAO approximation. I, 217
——: Localized impurity states in the Hartree–Fock, LCAO approximation. II. The *F* center in KCl, 233
McWeeny, R., and Kutzelnigg, W.: Symmetry properties of natural orbitals and geminals. I. Construction of spin- and symmetry-adapted functions, 187
Modrak, P.: Self-consistent-field method including correlation effect for atomic systems. Three- and four-electron atomic systems, 857
Moffat, J. B., and Popkie, H. E.: Physical nature of the chemical bond. II. Valence atomic orbital and energy partitioning studies of linear nitriles, 565

Öhrn, Y.: see Goscinski, O., 845

Pauncz, R.: see Tamir, I., 433
——: see Silberman, Z., 453
Pipano, A., and Shavitt, I.: Convergence studies in configuration interaction calculations, 741

Pollak, M.: see Rein, R., 129
Ponce, C.: see Chalvet, O., 521
Popkie, H. E.: see Moffat, J. B., 565
Porro, L.: see Carpentieri, M., 807
Preuss, H.: see Janoschek, R., 159
——: Das SCF–MO–P(LCGO)-Verfahren und seine varianten, 651
Prosser, F., and Hagstrom, S.: On the rapid computation of matrix elements, 89
Purcell, W. P.: see Sundaram, K., 145

Ramaker, D. E., Hagnauer, G. L., Carlson, R. E., Gaetano, R. F., Crain, H., and Schrader, D. M.: Helium states. II. Perturbation treatment of the ground state using the coordinates $r_<$ and $r_>$, 509
Rein, R., Claverie, P., and Pollak, M.: On the calculation of London–van der Waals interactions in a monopole-bond polarizability approximation with application to interaction between purine and pyrimidine bases, 129
Rigaudy, J.: see Chalvet, O., 521

Sabin, J. R.: Hydrogen bonding in simple π-electron systems. I. Pyridinium–pyridine, 23
——: Hydrogen bonding in simple π-electron systems. II. Pyridine–Pyrrol, 31
Sahni, R. C.: see Jain, D. C., 325
Schnupp, P.: On the total number of atomic associations of an N-atomic molecule, 349
——: The calculation of atomic associations using LISP, 599
Schrader, D. M.: see Ramaker, D. E., 509
Sen, P., and Basu, S.: Free-electron model and triplet-state lifetime of benzene, 183
——, and ——: Free-electron model of hyperpolarizability of the π-electron system in benzene, 687
Shavitt, I.: see Pipano, A., 741
——: see Gershgorn, Z., 751
Shin, H. K.: Inelastic molecular collisions with an orientation-averaged interaction energy, 265
Shull, H.: see Brown, R. E., 663
Silberman, Z., Gershgorn, Z., and Pauncz, R.: Application of the AMO method to non-alternant systems, 453
Sinanoğlu, O.: see Goscinski, O., 397
Smith, V. D., Jr.: see Kutzelnigg, W., 531
——, and Kutzelnigg, W.: Open- and closed-shell states in few-particle quantum mechanics. II. Classification of atomic states, 553
Sochilin, G. B.: see Ermolaev, A. M., 333
Song, P.-S.: Electronic structures and spectra of halogenated purines and pyrimidines. II. π-Electronic structure of 2-chloropurine and its related derivatives, 281
——: Electronic structures and spectra of halogenated purines and pyrimidines. III. σ-Electronic structure and some comments on the mechanism of the xanthine oxidase reaction of 2-halopurines and related analogs, 297
——: A theoretical consideration of the spectral properties of flavin tautomers and imino flavins, 463
Sundaram, K., and Purcell, W. P.: Molecular-orbital calculations on some mesionic compounds, 145

Tamir, I., and Pauncz, R.: The spin degeneracy problem in the AMO method, 433
Taylor, W. J.: Uniqueness of Parseval's formula and Born's hypothesis on probability densities in quantum mechanics, 735
ten Hoor, M. J.: The ground state of atomic two-electron systems in the independent particle model, 109

Vaughan, J. D., Fullerton, D. C., and Chang, C.-A.: Semiempirical molecular-orbital calculations of the basicities of pyrazole, imidazole, and methyl-substituted pyrazoles and imidazoles: inductive method of electron release, 205

Weare, J. H.: see Marron, M. T., 729

Yamabe, T.: see Fukui, K., 359

INTERNATIONAL JOURNAL OF QUANTUM CHEMISTRY, VOL. II, 941–944 (1968)

Subject Index, Volume II

Ab initio calculations, 89
Algebra element, 786, 787, 788, 789
Algebra on the symmetric group S_N, 247
AMO approximation, 391
Anthracene, 522
Angular overlap model, 54
Antibonding orbitals, 38, 396
Antiferromagnetic state, 483, 503
Antisymmetric space-spin functions, 783, 784, 786, 789
Antisymmetrizer, 784
Approximation, MO–LCAO, 791
Atomic associations, 349, 599
Atomic states, 553
Atomic two-electron systems, 109

Basicities, 165
Basis of spin-free quantum chemistry, 289
Be_2H^+, 159
Be_2H^-, 159
Benzyl-Radikal, 707
Best density IPM, 536
Best overlap IPM, 536
BH_3, 739, 755
Binary product, 867
Biorthogonalization, 94
Bonding-antibonding transitions, 396
Born–Kármán, 75
Born–Oppenheimer Hamiltonian, 607
Bose condensation, 642
Bounds, lower, 910
Bounds, upper and lower, 865, 876
Bounds to polarizabilities and van der Waals Forces, 759
Bracketing function, 865, 876, 886, 889
Brillouin theorem, 307

Canonical tableaux, 790
Canonical transformation, 492
Carcinogenic molecules, 648
Cayley–Hamilton equation, 891
Cell membrane, 643
Cell surface, 643
Chemical bond, 565
Chemical reactivity, 166
Chemisorption states, 73
Clebsch–Gordan coefficients, 715
Closed-shell states, 532, 553, 554, 542, 545, 709
CNDO, 165
Cofactors, 90
Complex-valued electronic states, 630
Complex wave functions, 46, 607, 635
Component analysis, 893, 899
Compound matrix, 91
Computation of derivatives, 800
Configuration interaction, 97, 187, 663, 665, 805
Configurations $1s^2\ 2s^2\ 2p^N$, 405
Configuration interaction calculations, 739, 749
Constant of motion, normal, 695, 865, 890, 899, 902, 915
Contact inhibition, 648
Convolution product, 896
Coordinate primitive function, 784
Correlation, left-right, 391

Degeneracy, order of, 886
Delocalized bond, 527
Density matrices, 187, 533
Determinant theory, 91
Dielectric properties, 642
Dimethylanthracene, 524
Diphenylanthracene, 522, 523, 524
Dipolar layer, 643
Dissipative structures, 643

Effective Hamiltonian, for nuclear motions, 607
Effective symmetry group, 538
Eigenfunctions of S^2 and S_Z, 784
Eigenfunctions, persistent, 889
Eigenoperator, 887
Eigenspaces, persistent, 889
Eigenvalue, lost, 873, 881, 889
persistent, 881, 888, 889
Eigenvalue problem, 865, 873, 875, 879, 899
Elastic energy, 647
Electron count, 665
Elektronenaffinität, 161

Electron gas, 431
Endoperoxides, 522
Energiebarriere, 711
Energy partitioning, 565
Energy storage, 641
Energy surfaces of molecules, 349, 599
Excited oxygen, 523
Excitonic state, 486
Expectation, 865, 869, 877
Extended Hückel theory, 165

F centre, 217, 234
Ferrimagnetic, 483
Five-membered rings, 805
Flavin tautomers, 463
Frequency-dependent polarizabilities, 766
Function over a group, 895, 897

Gap equation, 492
Gaussfunktionen, 160, 652, 653, 708
Gaussians, 799
Gesättigten Kohlenwasserstoffen, 659
Green's functions, 487
Ground-state averages, 762
Group Algebra, 895

Hartree–Fock-Gleichungen, 655
HBr, 500
HCl, 500
Heat of reaction, 159
Heitler–London, 44
Helium, 509
HF, 500
HI, 500
Hilbert space, 46
Hybridisierung, 657
Hückel method, 74, 488, 526
Hydrogen bonds, 23, 31, 160, 643
Hydrogen molecular ion, 472
Hydrogen molecule, 38, 391, 473
Hyperkonjugation, 711

Idempotent, 867
Imino flavins, 463
  selection of important configurations, 744
Impurity states in crystals, 218, 234
Inclusion of overlap, 805
Independent particle model, 532
Infra red properties, 649
Inhomogeneous equation, 865, 873, 875
Integral Hellmann–Feynman theorem, 729
Interatomic long-range forces, 359
Intramolekularen Umlagerung, 707
Invariant mean, 895
Invariant subalgebra, 784
Invariant subalgebra A^a, 787
Ionencharakter, 659
Ionisierungsenergie, 161, 662
Irreducible representation of the permutation group, 783
Itinerant ferrimagnetic, 499

Kinetic energy, 50, 53
Kinetic pseudo-potential, 50
Kraftkonstanten, 160

LiH molecule, 663
Linear mixed crystals, 73
Linearly independent, 871
Lippmann–Schwinger functional, 609
LISP, 599
Localized impurity states, 233
Localized MO's, 77
London coefficient, 773
Long-range coherence, 641
Long-range interaction, 45, 759

Magnetic hyperfine structure, 217
Manifolds, linear, 871
Many-electron theory, 371, 397
Matrix elements of the Hamiltonian, 789
Measurement, physical, 869
Mesoionic compounds, 145
Meso substituents, 524
Metal salts, 417
Metastable state, 643
Method, AMO, 791
MO–LCAO approximation, 38, 160
Molecular orbital, 73, 145, 165, 391, 484
Multicenter integrals, 220
Multicenter Slater basis, 220
Multiconfigurational SCF, 307
Muonic molecules, 472
Mutually exclusive, 867, 870

Naphthalin, 661
Natural spin geminals, 187
Natural spin orbitals, 187, 533, 554
Néel temperature, 502
Neumark–Kimball-Modells, 658
Newton–Raphson procedure, 877, 884
NiS, 502
Nitriles, 565

Non-Born–Oppenheimer resonances, 637
Noncrossing rule, 44
Nonorthogonal basis functions, 89
Normalization, intermediate, 873, 875, 883
Normalschwingungen, 160
Nuclear motions, 607

One-electron states, 74
Open-shell states, 55, 532, 553, 556
Operator, adjoint, 868
Operator inequalities, 869, 910
Operator, ket–bra, 868
Operators, linear, 867, 869
Operator, positive definite, 869
Operators, projection, 715, 865, 867, 870, 879, 886, 890, 898
Operator, self-adjoint, 869
Operators, shift, 898
  different orbitals for different spins, 483, 493
  same orbitals for different spins, 499
Orthogonal complement, 871, 879
Orthogonalization procedure Schmidts, 872
Overhauser's spin density waves, 486

Paralocalization energy, 526
Partition, 787
Partitioning technique, 73, 754, 865, 879, 899, 902
Path diagram method, 786
Permutation states, 783
Permutations, 787
Permutations of the space coordinates, 783
Peroxides, 522
Perturbation theory, 749, 904, 915, 965
Phase correlations, 643
Phase-transition, 484, 501
Phenoxy-radikal, 707
Photooxidation, 521, 524, 525
Photosensitized auto-oxidation, 521, 522
Phthalocyanine, 417
π-electron systems, 413, 711
π-systems, 805
Planar density, 665
Polarizabilities, 759
Polarization, 647
Polarizabilities at zero frequency, 765
Pople–Brown–Heffernan method, 145
Porphin, 417
Porphyrin systems, 417
Potentialansatz, 161
Primitive function, 784
Projected SCF scheme, 40
Projections, inner, 909
Projected spin functions, 341
Projector operator method, 285
Projection, outer, 879
Protein synthesis, 648
Pyridine–pyrrol, 31
Pyridinium–pyridine, 23

Racah algebra, 516
Radial correlation, 38
Reactivities, 165
Reaktionsgeschwindigkeit, 711
Reference function, 865, 873, 879
Reaktionskoordinate, 711
Representation of the Hamiltonian, 784
Resolution of the identity, 867, 870, 887
Resolvent, 874, 875
Resolvent, reduced, 882
Resolvent method, 73
Resolvent technique, 873, 899
Resonance levels, 626
Rubrene, 522

Scaled AMO method, 38
Scattering factors, 371
SCF–MO–LC(LCGO)-Methode, 160, 708
SCF–MO–P(LCGO)-Verfahren, 651
Schur's lemma, 897
Schwingungsfrequenzen, 709
Schwingungsrichtungen, 709
Second-order energy, 762
Secular determinant, 695
Self-consistent-field Verfahren, 55
Semiempirical LCAO–CI Methods, 805
Semimetallic state, 501
Separated atom, 44
Separated atom limit, 391
Shell structure model, 532
Shockley states, 75
"Singlet" oxygen, 522
Slater bond functions, 790
Slater-type orbitals, 371, 799
Space, irreducible, 896
Spaces, linear, 865
Space reducible, 896
Space-spin functions, 790
Spectral properties, 463
Spectral resolutions, 886
Spin density wave state, 487

Spin-free formulation of quantum mechanics, 783
Spin-free functions, 784, 790
Spin-free observable quantities, 790
Spin-free operator, 790
Spin free quantum chemistry, 784
Spin-polarized orbital, 74
Spin states, 783
Stabilität, 161
Standard tableaux, 286, 287
Structure operators, 784, 789, 790
Subspace, stable proper, 896
Substituted anthracene derivatives, 523
Sum rules, 772
Superposition of configurations, 392
Surface states, 73
Symmetry, 865, 890, 894
Symmetry-adapted best density IPM, 536
Symmetry-adapted functions, 188
Symmetry-adapted natural spin orbitals, 536, 554
Symmetry factoring, 695
Symmetry properties, 187

Tableau, 785, 790
Tautomeric, 707
Tetrabenzporphin, 417
Three-body forces, 777
Three-body nonadditive forces, 759
Tight-binding, 74
Ti_2O_3, 502
T matrix, 607
Tocopherols, 707
Transannular epidioxides, 521
Transition, 869, 877
Trial wave function, 865, 874, 883, 886
Triplet–triplet annihilation, 523
Tunneleffekt, 711
Two-dimensional Schrödinger equation, 416
Two heilum atom interaction, 366
Two hydrogen atom interaction, 360

Ungerade orbitals, 395
Unlinked cluster approach, 739
Unrestricted Hartree–Fock-Verfahren, 708
Upper and lower bounds, 397

Valence atomic orbital, 565
Valence-type interactions, 395
Variation-perturbation approach, 397
Variation principle, 46, 729, 878, 884
Vibrational levels, shift of, 635
Vibrational-rotational energy levels, 664
Vitamin E, 707

Wave operator, 906
Weinstein function, 881

Young's formula, 788
Young operator, 787